



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

PRODUCT NAME Black Currant THC Seltzer

BULK SKU SLZ.D9.BC5.6PK **BATCH #** CF025

SERVING SIZE 1 Can (355 mL)

LABORATORY Anresco

| POTENCY | PER SERVING | | PER GRAM | |
|------------------------------------|-------------|------------|----------|------|
| Cannabidiol (CBD) | 9.83 | mg/serving | 0.0273 | mg/g |
| Total THC (d9-THC, THCA) | 4.79 | mg/serving | 0.0133 | mg/g |
| Cannabigerol (CBG) | <LOQ | mg/serving | <LOQ | mg/g |
| Cannabinol (CBN) | <LOQ | mg/serving | <LOQ | mg/g |
| Cannabichromene (CBC) | <LOQ | mg/serving | <LOQ | mg/g |
| Tetrahydrocannabinolic Acid (THCA) | <LOQ | mg/serving | <LOQ | mg/g |
| Delta-9-THC (d9-THC) | 4.79 | mg/serving | 0.0133 | mg/g |
| Delta-8-THC (d8-THC) | <LOQ | mg/serving | <LOQ | mg/g |

| HEAVY METALS | PER GRAM | | REGULATORY ACTION LEVEL |
|--------------|----------|------|-------------------------|
| Arsenic | <LOQ | µg/g | 1.5 µg/g |
| Cadmium | <LOQ | µg/g | 0.5 µg/g |
| Lead | <LOQ | µg/g | 0.5 µg/g |
| Mercury | <LOQ | µg/g | 3.0 µg/g |

| RESIDUAL SOLVENTS | PER GRAM | | REGULATORY ACTION LEVEL |
|------------------------|----------|------|-------------------------|
| Ethanol ^[1] | 1460 | µg/g | 5,000 µg/g |
| Heptane | <LOQ | µg/g | 5,000 µg/g |

None of the other residual solvents tested were found above the regulatory action level.

| MICROBIAL | PASS/FAIL |
|------------------------|-----------|
| Yeast & Mold | Pass |
| Total Aerobic Bacteria | Pass |

PESTICIDES
None of the 50+ pesticides tested were found above the regulatory limits.



Laboratory information
Anresco Laboratories
1375 Van Dyke Ave, San Francisco, CA 94124
ISO/IEC 17025:2017 accreditation ANAB AT-1551

1. LOQ: Limit of Quantitation
Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

Lazarus Naturals
Attn: Sequoia Price-Lazarus/Evan
1116 NW 51st Street
Seattle, WA 98107



SAMPLE INFORMATION

Sample No.: 1404902
Product Name: SLZ.D9.BC5.6PK-CF025
Matrix: Edible (Carbonated Beverage)
Lot #: CF025

Date Collected: 04/21/2026
Date Received: 04/22/2026
Date Reported: 04/28/2026

TEST SUMMARY

| | | | |
|----------------------------------|----------|---------------------------------|--------|
| Cannabinoid Profile: | ✔ Tested | Microbiological Screen: | ✔ Pass |
| Pesticide Residue Screen: | ✔ Pass | Residual Solvent Screen: | ✔ Pass |
| Heavy Metal Screen: | ✔ Pass | Foreign Material: | ✔ Pass |
| Mycotoxin Screen: | ✔ Pass | | |



Cannabinoid Profile ✔ Tested

04/24/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|-------------------------------|----------|---------|--------|------------|------------|--------------------|--------------|
| Δ8-THC | ND | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.0133 | 0.00133 | 0.0135 | 4.78 | 4.78 | 5 | 4.31 |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - |
| CBD | 0.0273 | 0.00273 | 0.0277 | 9.82 | 9.82 | 10 | 1.80 |
| CBDA | ND | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - |
| CBG | ND | ND | ND | ND | ND | - | - |
| CBGA | ND | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | ND | - | - |
| Exo-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9R)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9S)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| 9(R)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| 9(S)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| Δ8-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| Δ9-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| THC-O-Phosphate | NT | NT | NT | NT | NT | - | - |
| Total THC | 0.0133 | 0.00133 | 0.0135 | 4.78 | 4.78 | - | - |
| Total CBD | 0.0273 | 0.00273 | 0.0277 | 9.82 | 9.82 | - | - |
| Total Cannabinoids | 0.0406 | 0.00406 | 0.0411 | 14.60 | 14.60 | - | - |
| Sum of Cannabinoids | 0.0406 | 0.00406 | 0.0411 | 14.60 | 14.60 | - | - |
| Serving Weight (g) | 359.7215 | | | | | | |
| Package Weight (g) | 359.7215 | | | | | | |
| g/ml Conversion Factor | 1.0133 | | | | | | |

Total THC = Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen ✔ Pass

04/27/2026

| Analyte | Findings | Units | Method | Limit | Status |
|--------------------------------------|--------------|-------|--------------------|--------------|--------|
| Coliforms | 0/10 | cfu/g | FDA BAM - ECC Agar | Not Detected | Pass |
| E. coli | Not Detected | /1g | FDA BAM Modified | Not Detected | Pass |
| Standard Plate Count | 0/10 | cfu/g | FDA BAM | 100,000 | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | FDA BAM | 10,000 | Pass |
| Bile-Tolerant Gram Negative Bacteria | <1 | cfu/g | AOAC 2003.01 | 1,000 | Pass |
| STEC | Not Detected | /25g | MF-MICRO-18 | 1.0 | Pass |
| Aspergillus flavus | Not Detected | /25g | MF-MICRO-14 | 1.0 | Pass |
| Aspergillus fumigatus | Not Detected | /25g | MF-MICRO-14 | 1.0 | Pass |
| Aspergillus niger | Not Detected | /25g | MF-MICRO-14 | 1.0 | Pass |
| Aspergillus terreus | Not Detected | /25g | MF-MICRO-14 | 1.0 | Pass |

Pesticide Residue Screen ✔ Pass

04/28/2026

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.1 | Pass |
| Acephate | 0.02/0.06 | ND | 0.06 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 0.1 | Pass |
| Acetamiprid | 0.017/0.05 | ND | 0.05 | Pass |
| Aldicarb | 0.02/0.06 | ND | 0.06 | Pass |
| Azoxystrobin | 0.02/0.06 | ND | 0.06 | Pass |
| Bifenazate | 0.02/0.06 | ND | 0.06 | Pass |
| Bifenthrin | 0.04/0.10 | ND | 0.1 | Pass |
| Boscalid | 0.02/0.06 | ND | 0.06 | Pass |
| Captan | 0.20/0.60 | ND | 0.7 | Pass |
| Carbaryl | 0.02/0.06 | ND | 0.06 | Pass |
| Carbofuran | 0.017/0.05 | ND | 0.05 | Pass |
| Chlorantraniliprole | 0.02/0.06 | ND | 0.06 | Pass |
| Chlordane | 0.02/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.02/0.06 | ND | 0.06 | Pass |
| Chlorpyrifos | 0.02/0.06 | ND | 0.06 | Pass |
| Clofentezine | 0.02/0.06 | ND | 0.1 | Pass |
| Coumaphos | 0.02/0.06 | ND | 0.06 | Pass |
| Cyfluthrin | 0.04/0.10 | ND | 0.1 | Pass |
| Cypermethrin | 0.04/0.10 | ND | 0.1 | Pass |
| Daminozide | 0.017/0.05 | ND | 0.05 | Pass |
| DDVP (Dichlorvos) | 0.013/0.04 | ND | 0.04 | Pass |
| Diazinon | 0.017/0.05 | ND | 0.05 | Pass |
| Dimethoate | 0.017/0.05 | ND | 0.05 | Pass |
| Dimethomorph | 0.017/0.05 | ND | 0.05 | Pass |
| Ethoprop(hos) | 0.02/0.06 | ND | 0.06 | Pass |
| Etofenprox | 0.02/0.06 | ND | 0.06 | Pass |
| Etoazole | 0.02/0.06 | ND | 0.06 | Pass |
| Fenhexamid | 0.017/0.05 | ND | 0.05 | Pass |
| Fenoxycarb | 0.02/0.06 | ND | 0.06 | Pass |
| Fenpyroximate | 0.02/0.06 | ND | 0.1 | Pass |
| Fipronil | 0.02/0.06 | ND | 0.06 | Pass |
| Flonicamid | 0.02/0.06 | ND | 0.06 | Pass |
| Fludioxonil | 0.02/0.06 | ND | 0.06 | Pass |
| Hexythiazox | 0.02/0.06 | ND | 0.06 | Pass |
| Imazalil | 0.02/0.06 | ND | 0.06 | Pass |
| Imidacloprid | 0.02/0.06 | ND | 0.06 | Pass |
| Kresoxim Methyl | 0.02/0.06 | ND | 0.06 | Pass |
| Malathion | 0.017/0.05 | ND | 0.05 | Pass |
| Metalaxyl | 0.017/0.05 | ND | 0.05 | Pass |
| Methiocarb | 0.02/0.06 | ND | 0.06 | Pass |
| Methomyl | 0.013/0.04 | ND | 0.04 | Pass |
| Methyl parathion | 0.02/0.06 | ND | 0.06 | Pass |
| Mevinphos | 0.02/0.06 | ND | 0.06 | Pass |
| Myclobutanil | 0.02/0.06 | ND | 0.06 | Pass |
| Naled | 0.02/0.05 | ND | 0.1 | Pass |
| Oxamyl | 0.013/0.04 | ND | 0.04 | Pass |
| Paclobutrazol | 0.02/0.06 | ND | 0.06 | Pass |
| Pentachloronitrobenzene | 0.02/0.05 | ND | 0.1 | Pass |
| Permethrins | 0.04/0.10 | ND | 0.1 | Pass |
| Phosmet | 0.02/0.06 | ND | 0.06 | Pass |
| Piperonyl Butoxide | 0.017/0.05 | ND | 0.05 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.1 | Pass |

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Propiconazole | 0.02/0.06 | ND | 0.06 | Pass |
| Propoxur | 0.013/0.04 | ND | 0.04 | Pass |
| Pyrethrins | 0.15/0.50 | ND | 0.5 | Pass |
| Pyridaben | 0.017/0.05 | ND | 0.05 | Pass |
| Spinetoram | 0.02/0.06 | ND | 0.06 | Pass |
| Spinosad | 0.02/0.06 | ND | 0.1 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 0.1 | Pass |
| Spirotetramat | 0.02/0.06 | ND | 0.06 | Pass |
| Spiroxamine | 0.017/0.05 | ND | 0.05 | Pass |
| Tebuconazole | 0.02/0.06 | ND | 0.06 | Pass |
| Thiacloprid | 0.013/0.04 | ND | 0.04 | Pass |
| Thiamethoxam | 0.02/0.06 | ND | 0.06 | Pass |
| Trifloxystrobin | 0.02/0.06 | ND | 0.06 | Pass |

Residual Solvent Screen ✔ Pass

04/28/2026

Method: MF-CHEM-32

Measurement of Uncertainty Average: ±1.43%

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|--------------------|----------------|-----------------|--------------|--------------------|
| Propane | 67/200 | ND | 210 | Pass |
| (+/-)-2-Butanol | 13.3/40 | ND | 5000 | Pass |
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 5 | Pass |
| 1,4-Dioxane | 13.3/40 | ND | 30 | Pass |
| 2-Ethoxyethanol | 13.3/40 | ND | 160 | Pass |
| Acetone | 67/200 | ND | 500 | Pass |
| Acetonitrile | 67/200 | ND | 410 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| Chloroform | 0.2/0.5 | ND | 2 | Pass |
| Cumene | 13.3/40 | ND | 70 | Pass |
| Cyclohexane | 13.3/40 | ND | 3880 | Pass |
| Ethanol | 67/200 | 1460.00 | 5000 | Pass |
| Ethyl acetate | 67/200 | ND | 1000 | Pass |
| Ethyl ether | 67/200 | ND | 5000 | Pass |
| Ethylene Glycol | 13.3/40 | ND | 620 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 5 | Pass |
| n-Heptane | 67/200 | ND | 500 | Pass |
| Isopropyl Acetate | 13.3/40 | ND | 5000 | Pass |
| Isopropyl alcohol | 67/200 | ND | 500 | Pass |
| Methanol | 67/200 | ND | 500 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 600 | Pass |
| Toluene | 67/200 | ND | 53 | Pass |
| Tetrahydrofuran | 13.3/40 | ND | 720 | Pass |
| Trichloroethene | 13.3/40 | ND | 80 | Pass |
| Isobutane | 6.7/20 | ND | - | See Total Butanes |
| n-Butane | 67/200 | ND | - | See Total Butanes |
| Total Butanes | 6.7/40 | ND | 500 | Pass |
| 2,2-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2,3-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2-Methylpentane | 2.7/8 | ND | - | Pass |
| 3-Methylpentane | 2.7/8 | ND | - | Pass |
| n-Hexane | 67/200 | ND | - | See Total Hexanes |
| Total Hexanes | 2.7/8 | ND | 18 | Pass |
| 2 Methylbutane | 4.4/13.34 | ND | - | See Total Pentanes |
| Neopentane | 4.4/13.34 | ND | - | See Total Pentanes |
| n-Pentane | 67/200 | ND | - | See Total Pentanes |
| Total Pentanes | 4.4/13.34 | ND | 500 | Pass |
| Ethylbenzene | 3.3/10 | ND | - | See Total Xylenes |
| m+p-Xylene | 6.7/20 | ND | - | See Total Xylenes |
| o-Xylene | 3.3/10 | ND | - | See Total Xylenes |
| Total Xylenes | 67/200 | ND | 217 | Pass |

Heavy Metal Screen ✔ Pass

04/28/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.033/0.101 | ND | 0.5 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.5 | Pass |
| Mercury | 0.014/0.05 | ND | 0.5 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

Foreign Material ✔ Pass

04/28/2026

Method: MF-CHEM-7

| Analyte | Findings | Limit | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |

Mycotoxin Screen ✔ Pass

04/28/2026

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|--------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5 | ND | 20 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by




Vu Lam
Lab Co Director



Scan to verify