



**Reframe Beverage, Inc.**  
 355 S Main Street, Floors 1 and 2, Greenville, SC 29601  
 License #:  
 Confident ID: 2510SMIL1320.7318  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: 35600

## Reframe Tropical 750ml

Metrc Source ID:

Metrc Sample ID:

Confident ID: 2510SMIL1320.7318

Sample Collected: 10/30/2025

Sample Received: 10/30/2025

Report Published: 11/03/2025

Sample Type: Beverage



## RESULTS SUMMARY

Cannabinoid Profile <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>	<b>0.015%</b> Total THC
Pesticides <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>	
Foreign Matter <b>Not Tested</b>	Moisture Analysis <b>Not Tested</b>	Water Activity <b>Not Tested</b>	<b>0.017%</b> Total Cannabinoids
	Terpenes <b>Tested</b>		<b>0.0%</b> Total Terpenes

### Report Notes:

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



PJLA  
 Testing  
 Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



**Reframe Beverage, Inc.**  
 355 S Main Street, Floors 1 and 2, Greenville, SC 29601  
 License #:  
 Confident ID: 2510SMIL1320.7318  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: 35600

**Cannabinoids**

**Tested**

**Sample Analysis**

Sample Prep Date: 11/03/2025  
 Sample Analysis Date: 11/03/2025  
 Analyzed By: Agilent 1260 HPLC  
 SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	0.000	0.000	<LOQ	<LOQ	<LOQ	<LOQ
CBCA	0.000	0.000	ND	ND	ND	ND
CBDV	0.000	0.000	ND	ND	ND	ND
CBDVA	0.000	0.000	<LOQ	<LOQ	<LOQ	<LOQ
CBD	0.000	0.000	0.000	0.002	0.128	1.603
CBDA	0.000	0.000	ND	ND	ND	ND
CBG	0.000	0.000	0.001	0.005	0.319	3.985
CBGA	0.000	0.000	ND	ND	ND	ND
CBN	0.000	0.000	0.001	0.006	0.334	4.181
Δ8-THC	0.000	0.000	ND	ND	ND	ND
Δ8-THCV	0.000	0.000	NT	NT	NT	NT
Δ9-THC	0.000	0.000	0.015	0.146	8.600	107.494
Δ9-THCV	0.000	0.000	<LOQ	<LOQ	<LOQ	<LOQ
THCVA	0.000	0.000	ND	ND	ND	ND
THCA	0.000	0.000	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.015	0.146	8.600	107.494
Total CBD	0.000	0.002	0.128	1.603
Total Cannabinoids	0.017	0.159	9.381	117.263

Total THC = THCa \* 0.877 + Δ9-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all analytes


Serving Weight: 59g;

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Reframe Beverage, Inc.  
 355 S Main Street, Floors 1 and 2, Greenville, SC 29601  
 License #:  
 Confident ID: 2510SMIL1320.7318  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: 35600

**Terpenes**

Tested

**Sample Analysis**

Sample Prep Date: 10/31/2025  
 Sample Analysis Date: 11/03/2025  
 Analyzed By: GC-FID  
 SOP: SOP\_TERP\_002


Analyte	LOD (%)	LOQ (%)	Results (%)	Analyte	LOD (%)	LOQ (%)	Results (%)
3-Carene	0.00218	0.00654	ND	Fenchone	0.00435	0.0130	ND
α-Bisabolol	0.00218	0.00654	ND	Geraniol	0.00218	0.00654	ND
α-Cedrene	0.00218	0.00654	ND	Geranyl Acetate	0.00218	0.00654	ND
α-Humulene	0.00218	0.00654	ND	Guaiol	0.00218	0.00654	ND
α-Phellandrene	0.00218	0.00654	ND	Isoborneol	0.00218	0.00654	ND
α-Pinene	0.00218	0.00654	ND	Isopulegol	0.00218	0.00654	ND
α-Terpinene	0.00218	0.00654	ND	Limonene	0.00218	0.00654	ND
β-Caryophyllene	0.00218	0.00654	ND	Linalool	0.00218	0.00654	ND
β-Myrcene	0.00435	0.0130	ND	Menthol	0.00218	0.00654	ND
β-Pinene	0.00218	0.00654	ND	Nerol	0.00218	0.00654	ND
Borneol	0.00435	0.0130	ND	Pulegone	0.00218	0.00654	ND
Camphene	0.00218	0.00654	ND	Sabinene Hydrate	0.00218	0.00654	ND
Camphor	0.00654	0.0196	ND	Terpineol	0.00218	0.00654	ND
Caryophyllene Oxide	0.00218	0.00654	ND	Terpinolene	0.00218	0.00654	ND
Cedrol	0.00218	0.00654	ND	trans-Nerolidol	0.00218	0.00654	ND
cis-Nerolidol	0.00218	0.00654	ND	trans-Ocimene	0.00182	0.00546	ND
cis-Ocimene	0.000361	0.00108	ND	Valencene	0.00218	0.00654	ND
endo-Fenchyl Alcohol	0.00218	0.00654	ND	γ-Terpinene	0.00218	0.00654	ND
Eucalyptol	0.00218	0.00654	ND	<b>Total Terpenes</b>	-	-	<b>ND</b>

**Report Notes:**

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



**Reframe Beverage, Inc.**  
 355 S Main Street, Floors 1 and 2, Greenville, SC 29601  
 License #:  
 Confident ID: 2510SMIL1320.7318  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: 35600

**Pesticides**

Pass

**Sample Analysis**

Sample Prep Date: 10/31/2025  
 Sample Analysis Date: 11/03/2025  
 Analyzed By: Agilent Ultivo LC-MS/MS  
 SOP: SOP\_PEST\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.83	9.66	ND	10	Flonicamid	12.1	24.1	ND	30
Aldicarb	9.66	19.3	ND	20	Imidacloprid	9.66	19.3	ND	20
Bifenthrin	9.66	19.3	ND	50	Kresoxim Methyl	4.83	9.66	ND	10
Carbaryl	9.66	19.3	ND	20	Metaxyl	9.66	19.3	ND	20
Carbofuran	9.66	19.3	ND	100	Oxamyl	24.1	48.3	ND	50
Chlorantraniliprole	9.66	19.3	ND	20	Phosmet	9.66	19.3	ND	40
Chlorpyrifos	4.83	9.66	ND	10	Pyridaben	4.83	9.66	ND	10
Clofentezine	4.83	9.66	ND	10	Spiromesifen	4.83	9.66	ND	10
Diazinon	9.66	19.3	ND	50	Spirotetramat	4.83	9.66	ND	10
Ethrophos	9.66	19.3	ND	20	Tebuconazole	19.3	38.6	ND	50
Etofenprox	4.83	9.66	ND	10	Thiamethoxam	9.66	19.3	ND	20
Etozazole	4.83	9.66	ND	10	Trifloxystrobin	4.83	9.66	ND	10
Fenpyroximate	4.83	9.66	ND	15					

**Mycotoxins**

Pass

**Sample Analysis**

Sample Prep Date: 10/31/2025  
 Sample Analysis Date: 11/03/2025  
 Analyzed By: Agilent Ultivo LC-MS/MS  
 SOP: SOP\_PEST\_001


Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	6.37	19.3	ND	20
Aflatoxin B2	6.37	19.3	ND	20
Aflatoxin G1	6.37	19.3	ND	20
Aflatoxin G2	6.37	19.3	ND	20
Ochratoxin A	6.37	19.3	ND	20

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



**Reframe Beverage, Inc.**  
 355 S Main Street, Floors 1 and 2, Greenville, SC 29601  
 License #:  
 Confident ID: 2510SMIL1320.7318  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: 35600

**Heavy Metals**

Pass

**Sample Analysis**

Sample Prep Date: 10/31/2025  
 Sample Analysis Date: 11/03/2025  
 Analyzed By: Agilent 7800 ICP-MS  
 SOP: SOP\_HM\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	26.2	79.1	ND	500
Mercury	2.62	7.91	ND	3000
Lead	26.2	79.1	ND	1000
Chromium	26.2	79.1	ND	2000
Arsenic	26.2	79.1	ND	1500

**Microbial Impurities**

Pass

**Sample Analysis**

Sample Prep Date: 10/30/2025  
 Sample Analysis Date: 11/01/2025  
 Analyzed By: 3M Petrifilm  
 SOP: SOP\_MICRO\_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



**Reframe Beverage, Inc.**  
 355 S Main Street, Floors 1 and 2, Greenville, SC 29601  
 License #:  
 Confident ID: 2510SMIL1320.7318  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: 35600

**Residual Solvents**

Pass

**Sample Analysis**

Sample Prep Date: 10/30/2025  
 Sample Analysis Date: 10/31/2025  
 Analyzed By: GCMS  
 SOP: SOP-RS-001


Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	6.54	13.1	ND	5000
Butane	6.54	13.1	ND	5000
Ethanol	6.54	13.1	731	5000
Ethyl Acetate	6.54	13.1	ND	5000
Ethyl Ether	6.54	13.1	ND	5000
Ethylene Oxide	1.09	2.18	ND	50
Heptane	6.54	13.1	ND	5000
Hexane	6.54	13.1	ND	290
Isopropyl Alcohol	6.54	13.1	ND	5000
Methanol	6.54	13.1	ND	3000
Methylene Chloride	6.54	13.1	ND	600
Pentane	6.54	13.1	ND	5000
Petroleum Ether	6.54	13.1	ND	400
Propane	6.54	13.1	ND	5000
Trichloroethylene	6.54	13.1	ND	80
Toluene	6.54	13.1	ND	5000
Xylenes	13.1	26.2	ND	2170

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.